


REVISIONS				
REV	DATE	DESCRIPTION	CHG	APPR



NOTES : UNLESS OTHERWISE SPECIFIED

1. INTERPRET DIMENSIONS AND TOLERANCES PER ANSI Y14.5M
2. ALL DIMENSIONS ARE IN MILLIMETERS.
3. MATERIAL
HEATSINK: ALUMINUM 6063
HEAT SPREADER: C1100 COPPER or 1020 COPPER
- 4 FINISH
HAETSINK: BLACK ANODIZE
(EXCEPT BASE SURFACE, THREADS AND HOLES)
5. TOLERANCES : .XX ±0.254
.XXX ±0.127
ANGLES ± 1°
6. REMOVE ALL BURRS AND BREAK SHARP EDGES.
UNSPECIFIED CORNER R0.5 MAX OR C0.5 MAX.
7. A BEND OF THE FIN: THE FINS MUST NOT CONTACT.
8. NO OIL ON THE BASE. OXIDIZATION OR DISCOLORATION IS ACCEPTABLE UNLESS IF THE SURFACE ROUGHNESS IS SIGNIFICANTLY AFFECTED.

ITEM	PART NO.	PART NAME	REMARK	Q'TY
ALPHA CO.LTD.			CSTM'R'S PART NO.	
		MATERIAL SEE NOTE 3, 4	NAME PRN9055	
SCALE Y.SUZUKI		APPR & CHCK Y.SUZUKI	PART NO. & DWG NO. S08AZY02	REV
DATE JAN 27. 2009		DSGN & DWG Y.SUZUKI	RDCTN:	LOFF: